



NORTH DUM DUM MUNICIPALITY

163, M.B.ROAD, BIRATI, KOLKATA - 700051
PHONE: (033) 2514 - 2101 / 2514 - 2494, FAX - (033) 2514 - 2990
Website: <http://www.northdumdummunicipality.org>
E-mail ID: nddmboc@bsnl.in

Memo No:NDDM/WW/2272

Date: 20/04/2022

Tender Notice

Sealed Tenders are invited from reliable, resourcefull Manufacturers, Dealers or Suppliers for supplying Pipeline Maintanance materials to be purchased for the year of 2022-2023.

1. Date of receipt of application: 26/04/2022
2. Last date of receiving Tender paper: 30/04/2022 upto 3 P.M.
3. Date of opening Tender: 30/04/2022 at 4 P.M.

Rates to be quoted both in words & figures and inclusive of all charges.

Approximate cost of Materials supply: Rs. 4,95,000.00 (Four lakh ninety five thousand only)

Earnest Money: Rs. 10,000.00 (Rs. Ten thousand only)

Bank Draft drawn on a Nationalized Bank in favour of the "Chairman, North Dum Dum Municipality".

Tender papers will be available from the Official website.



Attested Xerox copy of G.S.T registration certificate and valid Return certificate of the last quarter of the current financial year, Up to date Professional tax clearance receipts, IT Pan card & Tax return receipts and Copy of Credential should be enclosing along with the application in letter headed pad duly signed in. Letter head should contain full address, telephone no., mobile no., fax & e-mail for collecting the Tender Paper.

Tender Paper Dropping: At the office of Executive officer chamber.




MATERIALS TO BE PURCHASED FOR PIPELINE REPAIRING WORK



SL NO	MATERIALS	UNIT	REQUIRED QUANTITY
1	Cast Iron kinetic orifice type air release valve		
A)	2" DIA (50 MM)	Each	2.00
B)	3" DIA (75 MM)	Each	3.00
C)	4" DIA (100 MM)	Each	6.00
2	AIR RELEASE VALVE SPARE PARTS (Inside Ball)		
A)	75 MM DIA (3")	Each	3.00
B)	100 MM DIA (4")	Each	9.00
C)	150 MM DIA (6")	Each	12.00
3	M.S.Blank Flange as per IS-6392 thickness 20mm		
A)	100 MM DIA (4")	Each	4.00
B)	150 MM DIA (6")	Each	11.00
C)	200 MM DIA (8")	Each	2.00
D)	250 MM DIA (10")	Each	2.00
E)	300 MM DIA (12")	Each	2.00
F)	350 MM DIA (14")	Each	2.00
4	C.I.Mechanical compression SPLIT COLLAR		
A)	200 MM DIA X300mm long	Each	0.00
B)	250 MM DIA X300mm long	Each	0.00
C)	300 MM DIA X300mm long	Each	1.00
D)	350 MM DIA X400mm long	Each	0.00
E)	400 MM DIA X400mm long	Each	0.00
F)	450 MM DIA X400mm long	Each	1.00
G)	500 MM DIA X400mm long	Each	1.00
5	C.I SADDLE (TAPLINE CONNECTION FOR FERRULE FIXING)		
A)	100 MM DIA (4")	Each	60.00
B)	150 MM DIA (6")	Each	0.00
C)	200 MM DIA (8")	Each	35.00
D)	250 MM DIA (10")	Each	25.00
6	C.I. BEND (D.F)		
A)	100 MM DIA (90°)	Each	6.00
B)	150 MM DIA (90°)	Each	6.00
7	C.I. BEND (P.E)		
A)	100 MM DIA (4") (22½°)	Each	4.00
B)	100 MM DIA (4") (45°)	Each	4.00
C)	100 MM DIA (4") (90°)	Each	6.00
D)	150 MM DIA (6") (22½°)	Each	3.00
E)	150 MM DIA (6") (45°)	Each	3.00
F)	150 MM DIA (6") (90°)	Each	6.00
8	C.I. TEE (D.F)		
A)	(100 X 100 X 100) MM DIA (4 X 4 X 4)"	Each	2.00
B)	(150 X 150 X 150) MM DIA (6 X 6 X 6)"	Each	2.00
9	C.I. TEE (P.E)		
A)	(100 X 100 X 100) MM DIA (4 X 4 X 4)"	Each	2.00
B)	(150 X 150 X 100) MM DIA (6 X 6 X 4)"	Each	2.00
C)	(150 X 150 X 150) MM DIA (6 X 6 X 6)"	Each	0.00





10	C.I. D.T JOINT CLASS-10		
A)	75 MM DIA (3")	Each	30.00
B)	100 MM DIA (4")	Each	220.00
C)	125 MM DIA (5")	Each	6.00
D)	150 MM DIA (6")	Each	120.00
E)	200 MM DIA (8")	Each	5.00
11	5.4 mm thick M.S.COLUMN PIPE BOTH SIDE FLANGE 10'-0" LONG		
A)	3" DIA (75 MM) (FLANGE / O.D-170 MM / WHOLE PCD-150 MM)	Each	0.00
B)	4" DIA (100 MM) (FLANGE / O.D-170 MM / WHOLE PCD-150 MM)	Each	5.00
C)	5" DIA (125 MM) (FLANGE / O.D-240 MM / WHOLE PCD-210 MM)	Each	3.00
D)	6" DIA (150 MM) (FLANGE / O.D-240 MM / WHOLE PCD-210 MM)	Each	12.00
12	C.I DUCK FOOTTED BEND		
A)	100 MM DIA (4") (90°)	Each	1.00
B)	150 MM DIA (6") (90°)	Each	1.00
C)	300 MM DIA (12") (90°)	Each	1.00
D)	350 MM DIA (14") (90°)	Each	1.00
13	C.I COMPRESSION COLLAR COUPLING AS PER IS1536 (J.P. COLLAR)		
A)	100 MM DIA (4") LENGTH 100MM	Each	100.00
B)	150 MM DIA (6")LENGTH 100MM	Each	94.00
C)	200 MM DIA (8")LENGTH 100MM	Each	2.00
D)	250 MM DIA (10")LENGTH 125MM	Each	1.00
E)	300 MM DIA (12"))LENGTH 150MM	Each	3.00
F)	350 MM DIA (14"))LENGTH 150MM	Each	4.00
G)	400 MM DIA (16"))LENGTH 150MM	Each	2.00
H)	450 MM DIA (18"))LENGTH 150MM	Each	2.00
14	C.I. MECHANICAL COMPRESSION LONG SLEEVE COLLAR COUPLING		
A)	100 MM DIA (4") LENGTH 300MM	Each	4.00
B)	150 MM DIA (6")LENGTH 300MM	Each	4.00
C)	200 MM DIA (8")LENGTH 300MM	Each	6.00
D)	250 MM DIA (10")LENGTH 300MM	Each	6.00
E)	300 MM DIA (12"))LENGTH 300MM	Each	6.00
F)	350 MM DIA (14"))LENGTH 400MM	Each	4.00
G)	400 MM DIA (16"))LENGTH 400MM	Each	5.00
H)	450 MM DIA (18"))LENGTH 400MM	Each	5.00
15	C.I LEAK REPAIRING CLAMP 20MM THICK		
A)	150 MM DIA	Each	0.00
B)	200 MM DIA	Each	2.00
C)	250 MM DIA	Each	2.00
D)	300 MM DIA	Each	4.00
E)	350 MM DIA	Each	0.00
F)	400 MM DIA	Each	2.00
G)	450 MM DIA	Each	4.00
H)	500 MM DIA	Each	4.00
I)	600 MM DIA	Each	4.00





J)	700 MM DIA	Each	2.00
K)	750 MM DIA	Each	2.00
L)	900 MM DIA	Each	3.00
16	M.S LEAK REPAIRING CLAMP 20MM THICK		
A)	150 MM DIA	Each	1.00
B)	200 MM DIA	Each	2.00
C)	250 MM DIA	Each	2.00
D)	300 MM DIA	Each	2.00
E)	350 MM DIA	Each	2.00
F)	400 MM DIA	Each	2.00
G)	450 MM DIA	Each	2.00
H)	500 MM DIA	Each	2.00
I)	600 MM DIA	Each	1.00
J)	700 MM DIA	Each	1.00
K)	750 MM DIA	Each	1.00
L)	900 MM DIA	Each	1.00
M)	14" DIA	Each	0.00
N)	16" DIA	Each	0.00
17	M.S.PATCH CLAMP 6MM THICK WITH 12MMDIA NUT&BOLT 500MM LONG		
A)	150 MM DIA (6")	Each	5.00
B)	200 MM DIA (8")	Each	5.00
C)	250 MM DIA (10")	Each	5.00
D)	300 MM DIA (12")	Each	3.00
E)	350 MM DIA (14")	Each	4.00
F)	400 MM DIA (16")	Each	1.00
G)	450 MM DIA (18")	Each	1.00
H)	500 MM DIA (20")	Each	1.00
I)	600 MM DIA (24")	Each	1.00
J)	700 MM DIA (28")	Each	1.00
K)	750 MM DIA (30")	Each	1.00
L)	900 MM DIA (36")	Each	1.00
18	M.S.TAPPING SADDLE MADE OF 6 MM THICK M.S.PLATE WITH RUBBER SHEET PESTING ALONG WITH 200 MM LONG M.S.PIPE WITH 12MM DIA NUT &BOLT		
A)	(150 X 100X300) MM DIA (6 X 4)"	Each	1.00
B)	(200 X 100X300) MM DIA (8 X 4)"	Each	1.00
C)	(200 X 150X300) MM DIA (8 X 6)"	Each	1.00
D)	(250 X 100X300) MM DIA (10 X 4)"	Each	1.00
E)	(250 X 150X300) MM DIA (10 X 6)"	Each	1.00
F)	(300 X 100X300) MM DIA (12 X 4)"	Each	1.00
G)	(300 X 150X300) MM DIA (12 X 6)"	Each	1.00
H)	(350 X 100X300) MM DIA (14 X 4)"	Each	1.00
I)	(350 X 150X300) MM DIA (14 X 6)"	Each	1.00
J)	(400 X 100X300) MM DIA (16 X 4)"	Each	1.00
K)	(400 X 150X300) MM DIA (16 X 6)"	Each	1.00
L)	(400 X 200X400) MM DIA (16 X 8)"	Each	1.00
19	M.S.TAPPING SADDLE MADE OF 6 MM THICK M.S.PLATE WITH RUBBER SHEET PESTING ALONG WITH 200 MM LONG WITH FLANGE M.S.PIPE &12MM DIA NUT &BOLT		
A)	(150 X 100X300) MM DIA (6 X 4)"	Each	1.00
B)	(200 X 100X300) MM DIA (8 X 4)"	Each	1.00





C)	(200 X 150X300) MM DIA (8 X 6)"	Each	1.00
D)	(250 X 100X300) MM DIA (10 X 4)"	Each	1.00
E)	(250 X 150X300) MM DIA (10 X 6)"	Each	1.00
F)	(300 X 100X300) MM DIA (12 X 4)"	Each	1.00
G)	(300 X 150X300) MM DIA (12 X 6)"	Each	1.00
H)	(350 X 100X300) MM DIA (14 X 4)"	Each	1.00
I)	(350 X 150X300) MM DIA (14 X 6)"	Each	1.00
J)	(400 X 100X300) MM DIA (16 X 4)"	Each	1.00
K)	(400 X 150X300) MM DIA (16 X 6)"	Each	1.00
L)	(400 X 200X400) MM DIA (16 X 8)"	Each	1.00
20	C.I MECHANICAL COMPRESSION FLEXIBLE COLLAR (AS PER IS 5382/1985)(M.G)		
A)	100 MM DIA (4")	Each	1.00
B)	150 MM DIA (6")	Each	4.00
C)	200 MM DIA (8")	Each	2.00
D)	250 MM DIA (10")	Each	1.00
E)	300 MM DIA (12")	Each	0.00
F)	350 MM DIA (14")	Each	0.00
G)	400 MM DIA (16")	Each	0.00
H)	450 MM DIA (18")	Each	1.00
I)	500 MM DIA (20")	Each	1.00
21	C.I MECHANICAL FLEXIBLE FLANGE SPIGOT		
A)	100 MM DIA (4")	Each	1.00
B)	150 MM DIA (6")	Each	1.00
C)	200 MM DIA (8")	Each	0.00
D)	250 MM DIA (10")	Each	1.00
E)	300 MM DIA (12")	Each	2.00
F)	350 MM DIA (14")	Each	0.00
G)	450 MM DIA (18")	Each	2.00
H)	500 MM DIA (20")	Each	2.00
22	C.I MECHANICAL FLEXIBLE FLANGE SOCKET		
A)	100 MM DIA (4")	Each	1.00
B)	150 MM DIA (6")	Each	1.00
C)	200 MM DIA (8")	Each	1.00
D)	250 MM DIA (10")	Each	1.00
E)	300 MM DIA (12")	Each	2.00
F)	350 MM DIA (14")	Each	2.00
G)	450 MM DIA (18")	Each	2.00
H)	500 MM DIA (20")	Each	2.00
23	C.I MECHANICAL JOINT TEE AS PER IS13382/2004		
A)	(100 X 100 X 100) MM DIA (4 X 4 X 4)"	Each	1.00
B)	(150 X 150 X 100) MM DIA (6 X 6 X 4)"	Each	1.00
C)	(150 X 150 X 150) MM DIA (6 X 6 X 6)"	Each	0.00
D)	(200 X 200 X 100) MM DIA (8 X 8 X 4)"	Each	1.00
E)	(250 X 250 X 150) MM DIA (10 X 10 X 6)"	Each	1.00
24	C.I SINGLE DOOR DOUBLE FLANGE NON RETURN VALVE AS PER IS 14846		
A)	75 MM DIA (3")	Each	1.00
B)	100 MM DIA (4")	Each	1.00
C)	150 MM DIA (6")	Each	3.00




25	PVC PIPE (80 SCHEDULE) ASTMD-1785 & Threaded to match with GI-pipes as per IS:1239 (Part-I).		
A)	100 MM DIA (4")	Each	30.00
B)	150 MM DIA (6")	Each	30.00
C)	200 MM DIA (8")	Each	12.00
26	C.I PLAIN REDUCER		
A)	(150 X 100) MM DIA (6 X 4")	Each	0.00
B)	(200 X 100) MM DIA (8 X 4")	Each	0.00
C)	(200 X 150) MM DIA (8 X 6")	Each	0.00
D)	(250 X 150) MM DIA (10 X 6")	Each	0.00
27	M.S.REDUCER (BOTH SIDE FLANGE) (300 MM LONG) FLANGE DIA(PIPE OUTER DIA+100MM) Thickness of Pipe 6mm & Flange thickness 12mm		
A)	(150 X 100) MM DIA (6 X 4")	Each	2.00
B)	(200 X 100) MM DIA (8 X 4")	Each	1.00
C)	(200 X 150) MM DIA (8 X 6")	Each	1.00
D)	(250 X 150) MM DIA (10 X 6")	Each	1.00
28	RUBBER RING		
A)	75 MM DIA (3")	Each	0.00
B)	100 MM DIA (4")	Each	350.00
C)	125 MM DIA (5")	Each	20.00
D)	150 MM DIA (6")	Each	378.00
E)	200 MM DIA (8")	Each	50.00
29	SBR GASKET AS PER IS5382:1985 (TYTON GASKET)		
A)	100 MM DIA (4")	Each	300.00
B)	150 MM DIA (6")	Each	300.00
C)	200 MM DIA (8")	Each	50.00
D)	250 MM DIA (10")	Each	50.00
E)	300 MM DIA (12")	Each	20.00
F)	350 MM DIA (14")	Each	5.00
G)	400 MM DIA (16")	Each	5.00
H)	450 MM DIA (18")	Each	5.00
I)	500 MM DIA (20")	Each	5.00
30	RUBBER GASKET (3 MM THICKNESS)		
A)	100 MM DIA (4")	Each	90.00
B)	150 MM DIA (6")	Each	0.00
C)	200 MM DIA (8")	Each	2.00
D)	250 MM DIA (10")	Each	0.00
E)	300 MM DIA (12")	Each	0.00
F)	350 MM DIA (14")	Each	10.00
31	FLAT RUBBER GASKET SHEET AS PER IS5382/1985		
A)	3 MM THICK	Kg	20.00
B)	6 MM THICK	Kg	20.00
C)	8 MM THICK	Kg	30.00
D)	12 MM THICK	Kg	30.00
32	SHAFT JAM NUT (SLUICE VALVE MAINTENANCE MATERIALS) (SET) (AS PER SAMPLE)		
A)	150 MM DIA (6")	Each	0.00
B)	300 MM DIA (12")	Each	2.00
C)	350 MM DIA (14")	Each	2.00



D)	450 MM DIA (18")	Each	1.00
E)	500 MM DIA (20")	Each	1.00
33	CAST IRON DOUBLE FLANGED SLUICE VALVE AS PER I.S 14846:2000		
A)	100 MM DIA (4")	Each	5.00
B)	150 MM DIA (6")	Each	0.00
C)	200 MM DIA (8")	Each	4.00
D)	250 MM DIA (10")	Each	1.00
E)	300 MM DIA (12")	Each	0.00
F)	350 MM DIA (14")	Each	0.00
G)	400 MM DIA (16")	Each	1.00
H)	450 MM DIA (18")	Each	0.00
I)	500 MM DIA (20")	Each	1.00
34	SLUICE VALVE CONTROL "U" TYPE CLAMP AS PER SAMPLE (M.S)		
A)	150 MM DIA (6")	Each	0.00
35	M.S PIPE (5.4 MM THICKNESS)		
A)	100 MM DIA (4")	Mtr	6.00
B)	200 MM DIA (8")	Mtr	6.00
C)	250 MM DIA (10")	Mtr	6.00
36	M.S PIPE (8 MM THICKNESS)		
A)	300 MM DIA (12")	Mtr	6.00
B)	350 MM DIA (14")	Mtr	6.00
C)	400 MM DIA (16")	Mtr	6.00
D)	450 MM DIA (18")	Mtr	6.00
E)	500 MM DIA (20")	Mtr	6.00
37	M.S FLAT		
A)	(40 X 5) MM	Kg	5.00
B)	(50 X 6) MM	Kg	5.00
C)	(65 X 6) MM	Kg	5.00
D)	(75 X 8) MM	Kg	5.00
38	M.S ANGLE		
A)	(25 X 25 X 5) MM	Kg	4.00
B)	(40 X 40 X 5) MM	Kg	4.00
C)	(32 X 32 X 5) MM	Kg	4.00
D)	(50 X 50 X 5) MM	Kg	4.00
39	PIG LEAD 99.999% PURITY		Kg 275.00
40	LEAD WOOL		Kg 50.00
41	BIB COCK		
A)	BIB COCK PVC (AS PER SAMPLE)	Each	110.00
B)	BIB COCK (C.I)	Each	100.00
42	BEND (HB) (G.I)		
A)	¾"	Each	50.00
B)	½"	Each	50.00
43	ELBOW (HB) (G.I)		
A)	¾"	Each	235.00
B)	½"	Each	0.00
C)	1"	Each	10.00
44	G.I. PIPE (MIDIUM)		



A)	3/4"	Mtr	100.00
B)	1/2"	Mtr	100.00
C)	1"	Mtr	0.00
45	LONG SCREW (HB) (SET) (G.I)		
A)	(1/2" X 6")	Each	50.00
B)	(3/4" X 6")	Each	0.00
C)	(1" X 6")	Each	0.00
46	PVC ROLL PIPE		
A)	3/4"	Mtr	0.00
B)	1/2"	Mtr	0.00
C)	1"	Mtr	100.00
47	LONG SCREW (40 STD M ISI)		
A)	(1 1/2" X 10' LONG)	Each	10.00
48	PLUG (HEAVY) (G.I)		
A)	3/8"	Each	100.00
B)	3/4"	Each	60.00
C)	1/2"	Each	0.00
D)	1"	Each	0.00
E)	1 1/2"	Each	6.00
49	REDUCING SOCKET (G.I)		
A)	(3/4" X 1/2")	Each	0.00
B)	(3/4" X 1")	Each	9.00
C)	(1" X 1/2")	Each	9.00
D)	(1" X 1 1/2")	Each	4.00
50	REDUCING ELBOW (G.I)		
A)	(3/4" X 1/2")	Each	0.00
B)	(3/4" X 1")	Each	12.00
C)	(1" X 1/2")	Each	12.00
51	G.I. SOCKET (B.T)		
A)	3/4"	Each	50.00
B)	1/2"	Each	0.00
C)	1"	Each	19.00
D)	1 1/2"	Each	20.00
52	G.I. SHORT PIECE		
A)	(3/4" X 4")	Each	0.00
B)	(3/4" X 6")	Each	59.00
C)	(1/2" X 4")	Each	25.00
D)	(1/2" X 6")	Each	0.00
E)	(1" X 6")	Each	10.00
F)	(1/2" X 20")	Each	60.00
G)	(1/2" X 18")	Each	88.00
H)	(1/2" X 24")	Each	0.00
I)	(1/2" X 30")	Each	0.00
J)	(1/2" X 36")	Each	0.00
53	UNION (G.I)		
A)	3/4"	Each	70.00
B)	1/2"	Each	85.00




C)	1"	Each	30.00
54	BOOSH (G.I)		
A)	(3/8" X 1/2")	Each	0.00
B)	(1" X 1/2")	Each	8.00
55	M.S REDUCER (BOTH END FLANGE)		
A)	(150 mm x 100 mm) / (6 X 4)"	Each	0.00
56	100 mm DIA M.S.SHORT PIECE 300 mm LONG ONE SIDE FLANGE & OTHER SIDE THREAD	Each	0.00
57	JUTE GASKET	Kg	0.00
58	RUBBER SHEET (3 MM THICKNESS)	Kg	0.00

Time of completion of the work is 7 (seven) days which will be counted on & from the date of issue of Work order.

Approved rate is valid for 1 (one) year.

Detailed information may be available from the Water Works Department, Municipal website & Daily News paper.

The Authority reserves the right to accept or reject any or all tender without assigning any reasons whatsoever.



P. S. Das

Chairman

North Dum Dum Municipality

Chairman

North Dum Dum Municipality